

BROEN
BALLOMAX®

Designed to last

About BROEN

Section 2

About BROEN 2.1 - 2
About BROEN BALLOMAX® 2.1 - 3

STELL BALL VALVES

BROEN BALLOMAX® - Steel ball valves - Full bore

Section 3

DN 40 - 50	PN 40	Welding	Welding			3.1 - 2
DN 40 - 50	PN 40	Welding	Welding		BROEN-Gear	3.1 - 4
DN 15 - 50	PN 25	Female	Female	High or low stem		3.1 - 6
DN 15 - 50	PN 25	Female	Female	High or low stem	Gearhandle	3.1 - 8
DN 15 - 50	PN 25	Welding	Welding	High or low stem		3.1 - 10
DN 15 - 50	PN 25	Welding	Welding	High or low stem	Gearhandle	3.1 - 12
DN 15 - 50	PN 25	Female	Welding	High or low stem		3.1 - 14
DN 15 - 50	PN 25	Female	Welding	High or low stem	Gearhandle	3.1 - 16
DN 15 - 50	PN 25	Male	Welding	High stem		3.1 - 18
DN 15 - 50	PN 25	Male	Welding	High stem	Gearhandle	3.1 - 20
DN 15 - 25	PN 25	Male	Welding	High stem	Cap and chain	3.1 - 22
DN 15 - 50	PN 25	Flange	Welding			3.1 - 24
DN 15 - 50	PN 25	Flange	Flange			3.1 - 26
DN 65 - 150	PN 25	Welding	Welding			3.1 - 28
DN 65 - 150	PN 25	Welding	Welding		BROEN-Gear	3.1 - 30
DN 200 - 400	PN 25	Welding	Welding	Low stem		3.1 - 32
DN 200 - 400	PN 25	Welding	Welding	Low stem	BROEN-Gear	3.1 - 34
DN 200 - 400	PN 25	Welding	Welding	High stem		3.1 - 36
DN 200 - 400	PN 25	Welding	Welding	High stem	BROEN-Gear	3.1 - 38
DN 20 - 50	PN 40	Flange	Welding			3.1 - 40
DN 65 - 100	PN 25	Flange	Welding			3.1 - 42
DN 65 - 100	PN 16	Flange	Welding			3.1 - 44
DN 15 - 32	PN 40	Flange	Flange			3.1 - 46
DN 40 - 50	PN 40	Flange	Flange			3.1 - 48
DN 40 - 50	PN 40	Flange	Flange		BROEN-Gear	3.1 - 50
DN 65 - 150	PN 25	Flange	Flange			3.1 - 52
DN 65 - 150	PN 25	Flange	Flange		BROEN-Gear	3.1 - 54
DN 200 - 400	PN 25	Flange	Flange	Low stem		3.1 - 56
DN 200 - 400	PN 25	Flange	Flange	Low stem	BROEN-Gear	3.1 - 58
DN 200 - 400	PN 25	Flange	Flange	High stem		3.1 - 60
DN 200 - 400	PN 25	Flange	Flange	High stem	BROEN-Gear	3.1 - 62
DN 65 - 150	PN 16	Flange	Flange			3.1 - 64
DN 65 - 150	PN 16	Flange	Flange		BROEN-Gear	3.1 - 66
DN 200 - 400	PN 16	Flange	Flange	Low stem		3.1 - 68
DN 200 - 400	PN 16	Flange	Flange	Low stem	BROEN-Gear	3.1 - 70
DN 200 - 400	PN 16	Flange	Flange	High stem		3.1 - 72
DN 200 - 400	PN 16	Flange	Flange	High stem	BROEN-Gear	3.1 - 74
DN 15 - 50		Accessories	Handle - BBM Full Flow valve			3.2 - 2
DN 15 - 50		Accessories	Gearhandle - BBM Full Flow valve			3.2 - 3
DN 15 - 40		Accessories	T-handle			3.2 - 4
DN 15 - 150		Accessories	Handle			3.2 - 5
DN 15 - 80		Accessories	ISO-flange, mounting kit			3.2 - 6
DN 15 - 125		Accessories	Hexagon insertion key			3.2 - 8
DN 15 - 100		Accessories	Spindle extension for type 94 valves			3.2 - 9
DN 10 - 500		Accessories	BROEN BALLOMAX® Repair set			3.2 - 10
DN 100 - 400		Accessories	BROEN-Gear			3.2 - 11
DN 40 - 300		Accessories	BROEN-Gear with chain			3.2 - 12
DN 15 - 400		Additional	Pressure and temperature graph - PN 40/25/16			3.3 - 2
DN 15 - 400		Additional	Pressure drop graph			3.3 - 3
DN 15 - 40	PN 40	Additional	Operating torque			3.3 - 4
DN 50 - 400	PN 25	Additional	Operating torque			3.3 - 5
DN 15 - 50	PN 40	Additional	Connecting flange			3.3 - 6
DN 15 - 400	PN 25	Additional	Connecting flange			3.3 - 7
DN 15 - 400	PN 16	Additional	Connecting flange			3.3 - 8
DN 15 - 400	PN 10	Additional	Connecting flange			3.3 - 9
DN 65 - 400	PN 10	Additional	Valve actuator attachment			3.3 - 10

BROEN BALLOMAX® - Steel ball valves - Reduced bore						Section 4	
DN 50	PN 40	Welding	Welding			4.1 - 2	
DN 50	PN 40	Welding	Welding	ISO-flange	BROEN-Gear	4.1 - 4	
DN 15 - 20	PN 40	Female	Welding	(long weldingend)		4.1 - 6	
DN 15 - 50	PN 25	Female	Female	High or low stem		4.1 - 8	
DN 15 - 65	PN 25	Welding	Welding	High or low stem		4.1 - 10	
DN 80 - 150	PN 25	Welding	Welding			4.1 - 12	
DN 65 - 150	PN 25	Welding	Welding	ISO-flange	BROEN-Gear	4.1 - 14	
DN 200	PN 25	Welding	Welding	ISO-flange		4.1 - 16	
DN 200	PN 25	Welding	Welding	ISO-flange	BROEN-Gear	4.1 - 18	
DN 250 - 500	PN 25	Welding	Welding	Low stem		4.1 - 20	
DN 250 - 500	PN 25	Welding	Welding	Low stem	BROEN-Gear	4.1 - 22	
DN 250 - 500	PN 25	Welding	Welding	High stem		4.1 - 24	
DN 250 - 500	PN 25	Welding	Welding	High stem	BROEN-Gear	4.1 - 26	
DN 250 - 500	PN 25	Welding	Welding	High stem	Flowoptimized	4.1 - 28	
DN 250 - 500	PN 25	Welding	Welding	High stem	Flowoptimized	BROEN-Gear	4.1 - 30
DN 15 - 65	PN 25	Flange	Welding			4.1 - 32	
DN 65 - 100	PN 25	Flange	Welding			4.1 - 34	
DN 125 - 150	PN 25	Flange	Welding	ISO-flange		4.1 - 36	
DN 65 - 100	PN 16	Flange	Welding			4.1 - 38	
DN 125 - 150	PN 16	Flange	Welding	ISO-flange		4.1 - 40	
DN 50	PN 40	Flange	Flange			4.1 - 42	
DN 50	PN 40	Flange	Flange	ISO-flange	BROEN-Gear	4.1 - 44	
DN 15 - 65	PN 25	Flange	Flange			4.1 - 46	
DN 65 - 150	PN 25	Flange	Flange			4.1 - 48	
DN 65 - 150	PN 25	Flange	Flange	ISO-flange	BROEN-Gear	4.1 - 50	
DN 200	PN 25	Flange	Flange	ISO-flange		4.1 - 52	
DN 200	PN 25	Flange	Flange	ISO-flange	BROEN-Gear	4.1 - 54	
DN 250 - 500	PN 25	Flange	Flange	Low stem		4.1 - 56	
DN 250 - 500	PN 25	Flange	Flange	Low stem	BROEN-Gear	4.1 - 58	
DN 250 - 500	PN 25	Flange	Flange	High stem		4.1 - 60	
DN 250 - 500	PN 25	Flange	Flange	High stem	BROEN-Gear	4.1 - 62	
DN 250 - 500	PN 25	Flange	Flange	High stem	Flowoptimized	4.1 - 64	
DN 250 - 500	PN 25	Flange	Flange	High stem	Flowoptimized	BROEN-Gear	4.1 - 66
DN 65 - 150	PN 16	Flange	Flange			4.1 - 68	
DN 65 - 150	PN 16	Flange	Flange	ISO-flange	BROEN-Gear	4.1 - 70	
DN 200	PN 16	Flange	Flange	ISO-flange		4.1 - 72	
DN 200	PN 16	Flange	Flange	ISO-flange	BROEN-Gear	4.1 - 74	
DN 250 - 500	PN 16	Flange	Flange	Low stem		4.1 - 76	
DN 250 - 500	PN 16	Flange	Flange	Low stem	BROEN-Gear	4.1 - 78	
DN 250 - 500	PN 16	Flange	Flange	High stem		4.1 - 80	
DN 250 - 500	PN 16	Flange	Flange	High stem	BROEN-Gear	4.1 - 82	
DN 250 - 500	PN 16	Flange	Flange	High stem	Flowoptimized	4.1 - 84	
DN 250 - 500	PN 16	Flange	Flange	High stem	Flowoptimized	BROEN-Gear	4.1 - 86
DN 15 - 65		Accessories	Handle - BBM Full Flow valve			4.2 - 2	
DN 15 - 65		Accessories	Gearhandle - BBM Full Flow valve			4.2 - 3	
DN 10 - 50		Accessories	T-handle			4.2 - 4	
DN 10 - 200		Accessories	Handle			4.2 - 5	
DN 10 - 100		Accessories	ISO-flange, mounting kit			4.2 - 6	
DN 10 - 150		Accessories	Hexagon insertion key			4.2 - 7	
DN 10 - 125		Accessories	Spindle extention for type 61-64 valves			4.2 - 8	
DN 10 - 500		Accessories	BROEN BALLOMAX® Repair set			4.2 - 9	
DN 100 - 500		Accessories	BROEN-Gear			4.2 - 10	
DN 40 - 300		Accessories	BROEN-Gear with chain			4.2 - 11	
DN 10 - 500		Additional	Pressure and temperature graph - PN 40/25/16			4.3 - 2	
DN 10 - 500		Additional	Pressure drop graph			4.3 - 3	
DN 10 - 50	PN 40	Additional	Operating torque			4.3 - 4	
DN 65 - 500	PN 25	Additional	Operating torque			4.3 - 5	
DN 15 - 50	PN 40	Additional	Connecting flange			4.3 - 6	
DN 15 - 500	PN 25	Additional	Connecting flange			4.3 - 7	
DN 15 - 500	PN 16	Additional	Connecting flange			4.3 - 8	
DN 15 - 500	PN 10	Additional	Connecting flange			4.3 - 9	
DN 65 - 500	PN 10	Additional	Valve actuator attachment			4.3 - 10	

TRUNNION MOUNTED VALVES

BROEN BALLOMAX® - Trunnion mounted valves - Full bore			Section 5
DN 150 - 600	Welding	Welding - PN 40/25/16	5.1 - 2
DN 700 - 1000	Welding	Welding - PN 40/25/16	5.1 - 6
DN 150 - 600	PN 40	Flange	5.1 - 10
DN 700 - 1000	PN 40	Flange	5.1 - 14
DN 150 - 600	PN 25	Flange	5.1 - 18
DN 700 - 1000	PN 25	Flange	5.1 - 22
DN 150 - 600	PN 16	Flange	5.1 - 26
DN 700 - 1000	PN 16	Flange	5.1 - 30
DN 200 - 800	Accessories	BROEN-Gear	5.2 - 2
DN 150 - 1000	Additional	Pressure and temperature graph - PN 40/25/16	5.3 - 2
DN 150 - 1000	Additional	Pressure drop graph	5.3 - 3
DN 150 - 1000	Additional	Operating torque - PN 40/25/16	5.3 - 4

BROEN BALLOMAX® - Trunnion mounted valves - Reduced bore			Section 6
DN 200 - 700	Welding	Welding - PN 40/25/16	6.1 - 2
DN 800 - 1000	Welding	Welding - PN 40/25/16	6.1 - 6
DN 200 - 700	PN 40	Flange	6.1 - 10
DN 800 - 1000	PN 40	Flange	6.1 - 14
DN 200 - 700	PN 25	Flange	6.1 - 18
DN 800 - 1000	PN 25	Flange	6.1 - 22
DN 200 - 700	PN 16	Flange	6.1 - 26
DN 800 - 1000	PN 16	Flange	6.1 - 30
DN 250 - 800	Accessories	BROEN-Gear	6.2 - 2
DN 200 - 1000	Additional	Pressure and temperature graph - PN 40/25/16	6.3 - 2
DN 200 - 1000	Additional	Pressure drop graph	6.3 - 3
DN 200 - 1000	Additional	Operating torque - PN 40/25/16	6.3 - 4

FLEXIBLE MAIN STOP VALVES

BROEN BALLOMAX® - Flexible main stop valves			Section 7
DN 15 - 20	PN 25	Female	7.1 - 2
DN 15 - 20	PN 25	Welding	7.1 - 3
DN 15 - 20	PN 25	Welding	7.1 - 4
DN 20 - 25	PN 16	Female	7.1 - 5
DN 20 - 25	PN 25	Female	7.1 - 6
DN 20 - 25	PN 25	Female	7.1 - 7
DN 20 - 25	PN 25	Female	7.1 - 8
DN 20 - 25	PN 25	Female	7.1 - 9
DN 20 - 25	PN 25	Female	7.1 - 10
DN 20 - 25	PN 25	Female	7.1 - 11
DN 20 - 25	PN 16	Female	7.1 - 12
DN 15 - 32	Accessories	Bracket for extention	7.2 - 2
DN 15 - 20	Accessories	Insulation shells	7.2 - 3
DN 15 - 25	Accessories	T-handle	7.2 - 4
DN 15 - 20	Accessories	Lock fitting	7.2 - 5

HIGH TEMPERATURE VALVES

BROEN BALLOMAX® - High temperature valves			Section 8
DN 15 - 50	PN 40	Welding	8.1 - 2
DN 10 - 50	PN 40	Female	8.1 - 4
DN 10 - 50	PN 40	Female	8.1 - 6
DN 10 - 50	PN 40	Welding	8.1 - 8
DN 65 - 200	PN 25	Welding	8.1 - 10
DN 65 - 200	PN 25	Welding	8.1 - 12

DN 125 - 200	PN 25	Welding	Welding	ISO-flange	BROEN-Gear	8.1 - 14
DN 15 - 50	PN 40	Flange	Flange			8.1 - 16
DN 15 - 50	PN 40	Flange	Flange	ISO-flange		8.1 - 18
DN 65 - 200	PN 25	Flange	Flange			8.1 - 20
DN 65 - 200	PN 25	Flange	Flange	ISO-flange		8.1 - 22
DN 125 - 200	PN 25	Flange	Flange	ISO-flange	BROEN-Gear	8.1 - 24
DN 65 - 200	PN 16	Flange	Flange			8.1 - 26
DN 65 - 200	PN 16	Flange	Flange	ISO-flange		8.1 - 28
DN 125 - 200	PN 25	Welding	Welding	ISO-flange	BROEN-Gear	8.1 - 30
DN 100 - 200		Accessories	BROEN-Gear			8.2 - 2
DN 10 - 200		Additional	Pressure and temperature graph - PN 40/25/16			8.3 - 2
DN 10 - 200		Additional	Pressure drop graph			8.3 - 3
DN 10 - 50	PN 40	Additional	Operating torque			8.3 - 4
DN 65 - 200	PN 25	Additional	Operating torque			8.3 - 5
DN 15 - 50	PN 40	Additional	Connecting flange			8.3 - 6
DN 15 - 200	PN 25	Additional	Connecting flange			8.3 - 7
DN 65 - 200	PN 16	Additional	Connecting flange			8.3 - 8
DN 65 - 200	PN 10	Additional	Valve actuator attachment			8.3 - 9

MONOBLOCK AND SHORT VALVES

BROEN BALLOMAX® - Monoblock and short valves - Full bore						Section 9
DN 15 - 32		Monoblock single - PN 40/25/16				9.1 - 2
DN 15 - 32		Monoblock single - PN 40/25/16		ISO-flange		9.1 - 4
DN 40 - 80	PN 16	Flange	Flange			9.1 - 6
DN 40 - 80	PN 16	Flange	Flange			9.1 - 8
DN 40 - 80	PN 16	Flange	Flange	ISO-flange		9.1 - 10
DN 100 - 150	PN 16	Flange	Flange			9.1 - 12
DN 100 - 150	PN 16	Flange	Flange			9.1 - 14
DN 100 - 200	PN 16	Flange	Flange	ISO-flange		9.1 - 16
DN 100 - 200	PN 16	Flange	Flange	ISO-flange	BROEN-Gear	9.1 - 18

BUTTERFLY VALVES

BROEN BALLOMAX® - Butterfly valves						Section 10
DN 80 - 450	PN 25	Welding	Welding	BROEN-Gear		10.1 - 2
DN 500 - 1000	PN 25	Welding	Welding	BROEN-Gear		10.1 - 4
DN 80 - 450	PN 25	Flange	Flange	BROEN-Gear		10.1 - 6
DN 500 - 1000	PN 25	Flange	Flange	BROEN-Gear		10.1 - 8
DN 80 - 450	PN 25	Wafer type		BROEN-Gear		10.1 - 10
DN 500 - 1000	PN 25	Wafer type		BROEN-Gear		10.1 - 12

HOT TAP VALVES

BROEN BALLOMAX® - Hot tapping tool						Section 11
DN 15 - 50 &						
DN 65-100	PN 25	Accessories	Hot tap tool - PN 25			11.1 - 2
BROEN BALLOMAX® - Hot tap valve - Full bore						Section 12
DN 15 - 100	PN 25	Welding	Welding			12.1 - 2
BROEN BALLOMAX® - Hot tap valve - Reduced bore						Section 13
DN 20 - 100	PN 25	Welding	Welding			13.1 - 2

BRANCHING VALVES

BROEN BALLOMAX® - Branching valves - Full bore				Section 14
DN 15 - 50	PN 40	Welding	Welding	14.1 - 2
DN 65 - 100	PN 25	Welding	Welding	14.1 - 4
DN 125 - 150	PN 25	Welding	Welding	14.1 - 6

BROEN BALLOMAX® - Branching valves - Reduced bore				Section 15
DN 20 - 100		Welding	Welding - PN 40/25	15.1 - 2
DN 40 - 100		Welding	Welding with sleeve in ball - PN 40/25	15.1 - 4
DN 125 - 200	PN 25	Welding	Welding	15.1 - 6

TWIN VALVES - EN 488

BROEN BALLOMAX® - Twin valve, Pre-insulated - Reduced bore						Section 16
DN 25 - 200	PN 25	Welding	Welding	class 3	with alarm outlet	16.1 - 2
DN 25 - 200	PN 25	Welding	Welding	class 2	with alarm outlet	16.1 - 4
DN 25 - 200	PN 25	Welding	Welding	class 3	without alarm outlet	16.1 - 6
DN 25 - 200	PN 25	Welding	Welding	class 2	without alarm outlet	16.1 - 8
		Accessories	Universal allen key			16.2 - 2
DN 150 - 200		Accessories	BROEN-Gear, Mobile actuator			16.2 - 3
DN 25 - 200		Accessories	BROEN BALLOMAX® Repair set			16.2 - 4

ADDITIONAL

BROEN BALLOMAX® - General terms of sales and delivery		Section 17
General terms of sales and delivery		17.1 - 2

BROEN BALLOMAX® - References and case stories		Section 18
Sustainable and energy efficient solution in small Danish municipality		18.1 - 2
Climate-friendly power station in Elsinore		18.1 - 6
Green energy solutions to district heating constructions		18.1 - 9

