

BALLOMAX[®]

DESIGNED TO LAST



SECTION 1 Content

About BROEN

Section 2

About BROEN 2.1 - 2
 About BROEN BALLOMAX® 2.1 - 3

STELL BALL VALVES

BROEN BALLOMAX® - Steel ball valves - Full bore

Section 3

DN10-50	PN25	Female	Female	high or low stem	3.1 - 2
DN10-50	PN25	Welding	Welding	high or low stem	3.1 - 4
DN10-50	PN25	Female	Welding	high or low stem	3.1 - 6
DN10-50	PN25	Male	Welding		3.1 - 8
DN10-50	PN25	Flange	Welding		3.1 - 10
DN10-50	PN25	Flange	Flange		3.1 - 12
DN65-125	PN25	Welding	Welding		3.1 - 14
DN100-150	PN25	Welding	Welding	ISO-flange	3.1 - 16
DN100-150	PN25	Welding	Welding	BROEN-Gear	3.1 - 18
DN200-400	PN25	Welding	Welding	low stem	3.1 - 20
DN200-400	PN25	Welding	Welding	low stem	BROEN-Gear 3.1 - 22
DN200-400	PN25	Welding	Welding	high stem	3.1 - 24
DN200-400	PN25	Welding	Welding	high stem	BROEN-Gear 3.1 - 26
DN20-50	PN40	Flange	Welding		3.1 - 28
DN65-100	PN25	Flange	Welding		3.1 - 30
DN65-100	PN16	Flange	Welding		3.1 - 32
DN15-50	PN40	Flange	Flange		3.1 - 34
DN65-125	PN25	Flange	Flange		3.1 - 36
DN125-150	PN25	Flange	Flange	ISO-flange	3.1 - 38
DN100-150	PN25	Flange	Flange	BROEN-Gear	3.1 - 40
DN200-400	PN25	Flange	Flange	low stem	3.1 - 42
DN200-400	PN25	Flange	Flange	low stem	BROEN-Gear 3.1 - 44
DN200-400	PN25	Flange	Flange	high stem	3.1 - 46
DN200-400	PN25	Flange	Flange	high stem	BROEN-Gear 3.1 - 48
DN65-125	PN16	Flange	Flange		3.1 - 50
DN125-150	PN16	Flange	Flange	ISO-flange	3.1 - 52
DN125-150	PN16	Flange	Flange	BROEN-Gear	3.1 - 54
DN200-400	PN16	Flange	Flange	low stem	3.1 - 56
DN200-400	PN16	Flange	Flange	low stem	BROEN-Gear 3.1 - 58
DN200-400	PN16	Flange	Flange	high stem	3.1 - 60
DN200-400	PN16	Flange	Flange	high stem	BROEN-Gear 3.1 - 62
DN10-50		Accessories	Handle - BBM Full Flow valve		3.2 - 2
DN10-50		Accessories	T-handle - BBM Full Flow valve		3.2 - 3
DN15-40		Accessories	T-handle		3.2 - 4
DN15-150		Accessories	Handle		3.2 - 5
DN15-80		Accessories	ISO-flange, mounting kit		3.2 - 6
DN15-125		Accessories	Hexagon insertion key		3.2 - 7
DN15-100		Accessories	Spindle extension for type 94 valves		3.2 - 8
DN10-500		Accessories	BROEN BALLOMAX® Repair set		3.2 - 9
DN100-400		Accessories	BROEN-Gear		3.2 - 10
DN40-300		Accessories	BROEN-Gear with chain		3.2 - 11
DN15-400		Additional	Pressure and temperature graph - PN40/25/16		3.3 - 2
DN15-400		Additional	Pressure drop graph		3.3 - 3
DN10-40	PN40	Additional	Operating torque		3.3 - 4
DN50-400	PN25	Additional	Operating torque		3.3 - 5
DN15-50	PN40	Additional	Connecting flange		3.3 - 6
DN15-400	PN25	Additional	Connecting flange		3.3 - 7
DN15-400	PN16	Additional	Connecting flange		3.3 - 8

DN15-400	PN10	Additional	Connecting flange	3.3 - 9
DN65-400	PN10	Additional	Valve actuator attachment	3.3 - 10

BROEN BALLOMAX® - Steel ball valves - Reduced bore**Section 4**

DN15-20	PN40	Female	Welding (long weldingend)	4.1 - 2
DN15-25	PN40	Welding	Cap and chain	4.1 - 4
DN65-150	PN25	Welding	Welding	4.1 - 6
DN65-100	PN25	Welding	Welding flowoptimized	4.1 - 8
DN125-200	PN25	Welding	Welding ISO-flange	4.1 - 10
DN125-200	PN25	Welding	Welding BROEN-Gear	4.1 - 12
DN250-500	PN25	Welding	Welding low stem	4.1 - 14
DN250-500	PN25	Welding	Welding low stem BROEN-Gear	4.1 - 16
DN250-500	PN25	Welding	Welding high stem	4.1 - 18
DN250-500	PN25	Welding	Welding high stem BROEN-Gear	4.1 - 20
DN250-500	PN25	Welding	Welding high stem flowoptimized	4.1 - 22
DN250-500	PN25	Welding	Welding high stem flowoptimized BROEN-Gear	4.1 - 24
DN20-50	PN40	Flange	Welding	4.1 - 26
DN65-100	PN25	Flange	Welding	4.1 - 28
DN125-150	PN25	Flange	Welding ISO-flange	4.1 - 30
DN65-100	PN16	Flange	Welding	4.1 - 32
DN125-150	PN16	Flange	Welding ISO-flange	4.1 - 34
DN15-50	PN40	Flange	Flange	4.1 - 36
DN65-150	PN25	Flange	Flange	4.1 - 38
DN125-200	PN25	Flange	Flange ISO-flange	4.1 - 40
DN125-200	PN25	Flange	Flange BROEN-Gear	4.1 - 42
DN250-500	PN25	Flange	Flange low stem	4.1 - 44
DN250-500	PN25	Flange	Flange low stem BROEN-Gear	4.1 - 46
DN250-500	PN25	Flange	Flange high stem	4.1 - 48
DN250-500	PN25	Flange	Flange high stem BROEN-Gear	4.1 - 50
DN250-500	PN25	Flange	Flange high stem flowoptimized	4.1 - 52
DN250-500	PN25	Flange	Flange high stem flowoptimized BROEN-Gear	4.1 - 54
DN65-150	PN16	Flange	Flange	4.1 - 56
DN125-200	PN16	Flange	Flange ISO-flange	4.1 - 58
DN125-200	PN16	Flange	Flange BROEN-Gear	4.1 - 60
DN250-500	PN16	Flange	Flange low stem	4.1 - 62
DN250-500	PN16	Flange	Flange low stem BROEN-Gear	4.1 - 64
DN250-500	PN16	Flange	Flange high stem	4.1 - 66
DN250-500	PN16	Flange	Flange high stem BROEN-Gear	4.1 - 68
DN250-500	PN16	Flange	Flange high stem flowoptimized	4.1 - 70
DN250-500	PN16	Flange	Flange high stem flowoptimized BROEN-Gear	4.1 - 72
DN10-50		Accessories	T-handle	4.2 - 2
DN10-200		Accessories	Handle	4.2 - 3
DN10-100		Accessories	ISO-flange, mounting kit	4.2 - 4
DN10-150		Accessories	Hexagon insertion key	4.2 - 5
DN10-125		Accessories	Spindle extention for type 61-64 valves	4.2 - 6
DN10-500		Accessories	BROEN BALLOMAX® Repair set	4.2 - 7
DN100-500		Accessories	BROEN-Gear	4.2 - 8
DN40-300		Accessories	BROEN-Gear with chain	4.2 - 9
DN10-500		Additional	Pressure and temperature graph - PN40/25/16	4.3 - 2
DN10-500		Additional	Pressure drop graph	4.3 - 3
DN10-50	PN40	Additional	Operating torque	4.3 - 4
DN65-500	PN25	Additional	Operating torque	4.3 - 5
DN15-50	PN40	Additional	Connecting flange	4.3 - 6
DN15-500	PN25	Additional	Connecting flange	4.3 - 7
DN15-500	PN16	Additional	Connecting flange	4.3 - 8
DN15-500	PN10	Additional	Connecting flange	4.3 - 9
DN65-500		Additional	Valve actuator attachment	4.3 - 10

TRUNNION MOUNTED VALVES

BROEN BALLOMAX® - Trunnion mounted valves - Full bore			Section 5
DN150-300	Welding	Welding - PN40/25/16	5.1 - 2
DN350-1000	Welding	Welding - PN40/25/16	5.1 - 6
DN150-300	PN40	Flange	5.1 - 10
DN350-1000	PN40	Flange	5.1 - 14
DN150-300	PN25	Flange	5.1 - 18
DN350-1000	PN25	Flange	5.1 - 22
DN150-300	PN16	Flange	5.1 - 26
DN350-1000	PN16	Flange	5.1 - 30
DN200-800	Accessories	Columns	5.2 - 2
DN200-800	Accessories	BROEN-Gear	5.2 - 3
DN200-1000	Additional	Pressure and temperature graph - PN40/25/16	5.3 - 2
DN200-1000	Additional	Pressure drop graph	5.3 - 3
DN200-1000	Additional	Operating torque - PN40/25/16	5.3 - 4

BROEN BALLOMAX® - Trunnion mounted valves - Reduced bore			Section 6
DN200-350	Welding	Welding - PN40/25/16	6.1 - 2
DN400-1000	Welding	Welding - PN40/25/16	6.1 - 6
DN200-350	PN40	Flange	6.1 - 10
DN400-1000	PN40	Flange	6.1 - 14
DN200-350	PN25	Flange	6.1 - 18
DN400-1000	PN25	Flange	6.1 - 22
DN200-350	PN16	Flange	6.1 - 26
DN400-1000	PN16	Flange	6.1 - 30
DN200-800	Accessories	Columns	6.2 - 2
DN200-800	Accessories	BROEN-Gear	6.2 - 3
DN200-1000	Additional	Pressure and temperature graph - PN40/25/16	6.3 - 2
DN200-1000	Additional	Pressure drop graph	6.3 - 3
DN200-1000	Additional	Operating torque - PN40/25/16	6.3 - 4

FLEXIBLE MAIN STOP VALVES

BROEN BALLOMAX® - Flexible main stop valves			Section 7
DN15-20	PN25	Female	7.1 - 2
DN15-20	PN25	Welding	7.1 - 3
DN15-20	PN25	Welding	7.1 - 4
DN15-20	Accessories	Bracket for extension	7.2 - 2
DN15-20	Accessories	Insulation shells	7.2 - 3
DN15-20	Accessories	T-handle	7.2 - 4
DN15-20	Accessories	Lock fitting	7.2 - 5

HIGH TEMPERATURE VALVES

BROEN BALLOMAX® - High temperature valves - <u>Reduced bore</u>				Section 8
DN10-50	PN40	Female	Female	8.1 - 2
DN10-50	PN40	Female	Female ISO-flange	8.1 - 4
DN10-50	PN40	Welding	Welding	8.1 - 6
DN10-50	PN40	Welding	Welding ISO-flange	8.1 - 8
DN65-200	PN25	Welding	Welding	8.1 - 10
DN65-200	PN25	Welding	Welding ISO-flange	8.1 - 12
DN125-200	PN25	Welding	Welding BROEN-Gear	8.1 - 14
DN15-50	PN40	Flange	Flange	8.1 - 16
DN15-50	PN40	Flange	Flange ISO-flange	8.1 - 18
DN65-200	PN25	Flange	Flange	8.1 - 20
DN65-200	PN25	Flange	Flange ISO-flange	8.1 - 22
DN125-200	PN25	Flange	Flange BROEN-Gear	8.1 - 24
DN65-200	PN16	Flange	Flange	8.1 - 26
DN65-200	PN16	Flange	Flange ISO-flange	8.1 - 28
DN125-200	PN16	Flange	Flange BROEN-Gear	8.1 - 30
DN100-200		Accessories	BROEN-Gear	8.2 - 2
DN10-200		Additional	Pressure and temperature graph - PN40/25/16	8.3 - 2
DN10-200		Additional	Pressure drop graph	8.3 - 3
DN10-50	PN40	Additional	Operating torque	8.3 - 4
DN65-200	PN25	Additional	Operating torque	8.3 - 5
DN15-50	PN40	Additional	Connecting flange	8.3 - 6
DN15-200	PN25	Additional	Connecting flange	8.3 - 7
DN15-200	PN16	Additional	Connecting flange	8.3 - 8
DN65-200	PN10	Additional	Valve actuator attachment	8.3 - 9

MONOBLOCK AND SHORT VALVES

BROEN BALLOMAX® - Monoblock and short valves - <u>Full bore</u>				Section 9
DN15-32		Monoblock single - PN40/25/16		9.1 - 2
DN15-32		Monoblock single - PN40/25/16 ISO-flange		9.1 - 4
DN40-80	PN16	Flange	Flange	9.1 - 6
DN40-80	PN16	Flange	Flange	9.1 - 8
DN40-80	PN16	Flange	Flange ISO-flange	9.1 - 10
DN100-200	PN16	Flange	Flange	9.1 - 12
DN100-200	PN16	Flange	Flange	9.1 - 14
DN100-200	PN16	Flange	Flange ISO-flange	9.1 - 16
DN100-200	PN16	Flange	Flange BROEN-Gear	9.1 - 18

BUTTERFLY VALVES

BROEN BALLOMAX® - Butterfly valves				Section 10
DN80-450	PN25	Welding	Welding BROEN-Gear	10.1 - 2
DN500-1000	PN25	Welding	Welding BROEN-Gear	10.1 - 4
DN80-450	PN25	Flange	Flange BROEN-Gear	10.1 - 6
DN500-1000	PN25	Flange	Flange BROEN-Gear	10.1 - 8
DN80-450	PN25	Wafer type	BROEN-Gear	10.1 - 10
DN500-1000	PN25	Wafer type	BROEN-Gear	10.1 - 12

HOT TAP VALVES

BROEN BALLOMAX® - Hot tap valve - Full bore				Section 11
DN20-40	PN25	Welding	Welding	11.1 - 2
DN20-40		Accessories	Hot tap tool - PN25	11.2 - 2

BROEN BALLOMAX® - Hot tap valve - Reduced bore				Section 12
DN15-100	PN25	Welding	Welding	12.1 - 2
DN15-50		Accessories	Hot tap tool - PN25	12.2 - 2
DN65-100		Accessories	Hot tap tool - PN25	12.2 - 2

BRANCHING VALVES

BROEN BALLOMAX® - Branching valves - Full bore				Section 13
DN15-50	PN40	Female	Welding	13.1 - 2
DN15-50	PN40	Welding	Welding	13.1 - 4
DN65-80	PN25	Welding	Welding	13.1 - 6
DN100-150	PN25	Welding	Welding	13.1 - 8

BROEN BALLOMAX® - Branching valves - Reduced bore				Section 14
DN20-50	PN40	Female	Welding	14.1 - 2
DN15-50	PN40	Welding	Welding	14.1 - 4
DN40-50	PN40	Welding	Welding flowoptimized	14.1 - 6
DN65-100	PN25	Welding	Welding	14.1 - 8
DN65-100	PN25	Welding	Welding flowoptimized	14.1 - 10
DN125-200	PN25	Welding	Welding	14.1 - 12

UNDERGROUND VALVES - EN 488

BROEN BALLOMAX® - Steel ball valves for pre-insulation - Full bore				Section 15
DN25-150	PN25	Welding	Welding	15.1 - 2
DN200-300	PN25	Welding	Welding	15.1 - 4
DN125-400	PN25	Welding	Welding ISO-flange	15.1 - 6
DN25-400	PN25	Welding	Welding Class 2	15.2 - 2
DN40-400	PN25	Welding	Welding Class 2 1 Service valve	15.2 - 4
DN40-400	PN25	Welding	Welding Class 2 2 Service valves	15.2 - 6
DN150-400	PN25	Welding	Welding Class 2 ISO-flange	15.2 - 8
DN150-400	PN25	Welding	Welding Class 2 ISO-flange 1 Service valve	15.2 - 10
DN150-400	PN25	Welding	Welding Class 2 ISO-flange 2 Service valves	15.2 - 12
DN25-400	PN25	Welding	Welding Class 3	15.2 - 14
DN40-400	PN25	Welding	Welding Class 3 1 Service valve	15.2 - 16
DN40-400	PN25	Welding	Welding Class 3 2 Service valves	15.2 - 18
DN150-400	PN25	Welding	Welding Class 3 ISO-flange	15.2 - 20
DN150-400	PN25	Welding	Welding Class 3 ISO-flange 1 Service valve	15.2 - 22
DN150-400	PN25	Welding	Welding Class 3 ISO-flange 2 Service valves	15.2 - 24
DN50		Accessories	Service valve glass bead blasted	15.3 - 2
DN25-125		Accessories	Flex extension	15.3 - 3
DN80-250		Accessories	Flex extension	15.3 - 4
		Accessories	Universal allen key	15.3 - 5
DN80-250		Accessories	BROEN-Gear, Mobile actuator	15.3 - 6
DN80-350		Accessories	BROEN-Gear, Planetary gear	15.3 - 7
DN150-400		Accessories	BROEN-Gear, Bevel gear (Hexagon)	15.3 - 8
DN150-400		Accessories	BROEN-Gear, Bevel gear (Square)	15.3 - 9

DN200-500	Accessories	Telescopic extension for Bevel gear	15.3 - 10
DN25-150	Accessories	BROEN BALLOMAX® Repair set	15.3 - 11
DN150-400	Accessories	BROEN BALLOMAX® Repair set	15.3 - 12
DN25-400	PN25 Additional	Pressure and temperature graph	15.4 - 2
DN25-400	Additional	Pressure drop graph	15.4 - 3
DN25-400	PN25 Additional	Operating torque	15.4 - 4

BROEN BALLOMAX® - Steel ball valves for pre-insulation - Reduced bore

Section 16

DN25-100	PN25	Welding	Welding	16.1 - 2
DN125-350	PN25	Welding	Welding	16.1 - 4
DN125-500	PN25	Welding	Welding	ISO-flange	16.1 - 6
DN25-400	PN25	Welding	Welding	Class 1	16.2 - 2
DN25-400	PN25	Welding	Welding	Class 1 1 Service valve	16.2 - 4
DN25-400	PN25	Welding	Welding	Class 1 2 Service valves	16.2 - 6
DN150-500	PN25	Welding	Welding	Class 1 ISO-flange	16.2 - 8
DN150-500	PN25	Welding	Welding	Class 1 ISO-flange 1 Service valve	16.2 - 10
DN150-500	PN25	Welding	Welding	Class 1 ISO-flange 2 Service valves	16.2 - 12
DN25-400	PN25	Welding	Welding	Class 2	16.2 - 14
DN25-400	PN25	Welding	Welding	Class 2 1 Service valve	16.2 - 16
DN25-400	PN25	Welding	Welding	Class 2 2 Service valves	16.2 - 18
DN150-500	PN25	Welding	Welding	Class 2 ISO-flange	16.2 - 20
DN150-500	PN25	Welding	Welding	Class 2 ISO-flange 1 Service valve	16.2 - 22
DN150-500	PN25	Welding	Welding	Class 2 ISO-flange 2 Service valves	16.2 - 24
DN25-400	PN25	Welding	Welding	Class 3	16.2 - 26
DN25-400	PN25	Welding	Welding	Class 3 1 Service valve	16.2 - 28
DN25-400	PN25	Welding	Welding	Class 3 2 Service valves	16.2 - 30
DN150-500	PN25	Welding	Welding	Class 3 ISO-flange	16.2 - 32
DN150-500	PN25	Welding	Welding	Class 3 ISO-flange 1 Service valve	16.2 - 34
DN150-500	PN25	Welding	Welding	Class 3 ISO-flange 2 Service valves	16.2 - 36
DN25-200	PN25	Welding	Welding	Twin valve Class 2	16.2 - 38
DN25-200	PN25	Welding	Welding	Twin valve Class 3	16.2 - 40
DN32-200	PN25	Welding	Welding	Well valve Class 2	16.2 - 42
DN25-50	Accessories	Service valve			16.3 - 2
DN25-50-80	Accessories	Service valve glass bead blasted			16.3 - 3
DN25-50-80	Accessories	Service valve glass bead blasted	Length 1000 mm		16.3 - 4
DN20-150	Accessories	Flex extension			16.3 - 5
DN100-350	Accessories	Flex extension			16.3 - 6
	Accessories	Universal allen key			16.3 - 7
DN100-350	Accessories	BROEN-Gear, Mobile actuator			16.3 - 8
DN100-400	Accessories	BROEN-Gear, Planetary gear			16.3 - 9
DN200-500	Accessories	BROEN-Gear, Bevel gear (Hexagon)			16.3 - 10
DN200-500	Accessories	BROEN-Gear, Bevel gear (Square)			16.3 - 11
DN200-500	Accessories	Telescopic extension for Bevel gear			16.3 - 12
DN20-200	Accessories	BROEN BALLOMAX® Repair set			16.3 - 13
DN200-500	Accessories	BROEN BALLOMAX® Repair set			16.3 - 14
DN25-500	PN25 Additional	Pressure and temperature graph			16.4 - 2
DN25-500	Additional	Pressure drop graph			16.4 - 3
DN25-500	PN25 Additional	Operating torque			16.4 - 4

ADDITIONAL

BROEN BALLOMAX® - General terms of sales and delivery**Section 17**

General terms of sales and delivery	17.1 - 2
---	----------

BROEN BALLOMAX® - References and case stories**Section 18**

Sustainable and energy efficient solution in small Danish municipality	18.1 - 2
Climate-friendly power station in Elsinore	18.1 - 6
Green energy solutions to district heating constructions	18.1 - 9