

BROEN
BALLOMAX®

Designed to last

About BROEN

Section 2

About BROEN	2.1 - 2
About BROEN BALLOMAX®	2.1 - 3

STELL BALL VALVES

BROEN BALLOMAX® - Steel ball valves - Full bore

Section 3

DN 10 - 50	PN 25	Female	Female	high or low stem		3.1 - 2
DN 10 - 50	PN 25	Female	Female	high stem	Gearhandle	3.1 - 4
DN 10 - 50	PN 25	Welding	Welding	high or low stem		3.1 - 6
DN 10 - 50	PN 25	Welding	Welding	high stem	Gearhandle	3.1 - 8
DN 10 - 50	PN 25	Female	Welding	high or low stem		3.1 - 10
DN 10 - 50	PN 25	Female	Welding	high stem	Gearhandle	3.1 - 12
DN 10 - 50	PN 25	Male	Welding	high stem		3.1 - 14
DN 10 - 50	PN 25	Male	Welding	high stem	Gearhandle	3.1 - 16
DN 15 - 25	PN 25	Male	Welding	high stem	Cap and chain	3.1 - 18
DN 10 - 50	PN 25	Flange	Welding			3.1 - 20
DN 10 - 50	PN 25	Flange	Flange			3.1 - 22
DN 65 - 125	PN 25	Welding	Welding			3.1 - 24
DN 100 - 150	PN 25	Welding	Welding	ISO-flange		3.1 - 26
DN 100 - 150	PN 25	Welding	Welding	ISO-flange	BROEN-Gear	3.1 - 28
DN 200 - 400	PN 25	Welding	Welding	low stem		3.1 - 30
DN 200 - 400	PN 25	Welding	Welding	low stem	BROEN-Gear	3.1 - 32
DN 200 - 400	PN 25	Welding	Welding	high stem		3.1 - 34
DN 200 - 400	PN 25	Welding	Welding	high stem	BROEN-Gear	3.1 - 36
DN 20 - 50	PN 40	Flange	Welding			3.1 - 38
DN 65 - 100	PN 25	Flange	Welding			3.1 - 40
DN 65 - 100	PN 16	Flange	Welding			3.1 - 42
DN 15 - 50	PN 40	Flange	Flange			3.1 - 44
DN 65 - 125	PN 25	Flange	Flange			3.1 - 46
DN 125 - 150	PN 25	Flange	Flange	ISO-flange		3.1 - 48
DN 100 - 150	PN 25	Flange	Flange	ISO-flange	BROEN-Gear	3.1 - 50
DN 200 - 400	PN 25	Flange	Flange	low stem		3.1 - 52
DN 200 - 400	PN 25	Flange	Flange	low stem	BROEN-Gear	3.1 - 54
DN 200 - 400	PN 25	Flange	Flange	high stem		3.1 - 56
DN 200 - 400	PN 25	Flange	Flange	high stem	BROEN-Gear	3.1 - 58
DN 65 - 125	PN 16	Flange	Flange			3.1 - 60
DN 125 - 150	PN 16	Flange	Flange	ISO-flange		3.1 - 62
DN 125 - 150	PN 16	Flange	Flange	ISO-flange	BROEN-Gear	3.1 - 64
DN 200 - 400	PN 16	Flange	Flange	low stem		3.1 - 66
DN 200 - 400	PN 16	Flange	Flange	low stem	BROEN-Gear	3.1 - 68
DN 200 - 400	PN 16	Flange	Flange	high stem		3.1 - 70
DN 200 - 400	PN 16	Flange	Flange	high stem	BROEN-Gear	3.1 - 72
DN 10 - 50		Accessories		Handle - BBM Full Flow valve		3.2 - 2
DN 10 - 50		Accessories		T-handle - BBM Full Flow valve		3.2 - 3
DN 15 - 40		Accessories		T-handle		3.2 - 4
DN 15 - 150		Accessories		Handle		3.2 - 5
DN 15 - 80		Accessories		ISO-flange, mounting kit		3.2 - 6
DN 15 - 125		Accessories		Hexagon insertion key		3.2 - 7
DN 15 - 100		Accessories		Spindle extension for type 94 valves		3.2 - 8
DN 10 - 500		Accessories		BROEN BALLOMAX® Repair set		3.2 - 9
DN 100 - 400		Accessories		BROEN-Gear		3.2 - 10
DN 40 - 300		Accessories		BROEN-Gear with chain		3.2 - 11
DN 15 - 400		Additional		Pressure and temperature graph - PN 40/25/16		3.3 - 2
DN 15 - 400		Additional		Pressure drop graph		3.3 - 3
DN 15 - 40	PN 40	Additional		Operating torque		3.3 - 4
DN 50 - 400	PN 25	Additional		Operating torque		3.3 - 5

DN 15 - 50	PN 40	Additional	Connecting flange	3.3 - 6
DN 15 - 400	PN 25	Additional	Connecting flange	3.3 - 7
DN 15 - 400	PN 16	Additional	Connecting flange	3.3 - 8
DN 15 - 400	PN 10	Additional	Connecting flange	3.3 - 9
DN 65 - 400	PN 10	Additional	Valve actuator attachment	3.3 - 10

BROEN BALLOMAX® - Steel ball valves - Reduced bore

Section 4

DN 15 - 20	PN 40	Female	Welding (long weldingend)	4.1 - 2
DN 65 - 150	PN 25	Welding	Welding	4.1 - 4
DN 65 - 100	PN 25	Welding	Welding flowoptimized	4.1 - 6
DN 125 - 200	PN 25	Welding	Welding ISO-flange	4.1 - 8
DN 125 - 200	PN 25	Welding	Welding ISO-flange BROEN-Gear	4.1 - 10
DN 250 - 500	PN 25	Welding	Welding low stem	4.1 - 12
DN 250 - 500	PN 25	Welding	Welding low stem BROEN-Gear	4.1 - 14
DN 250 - 500	PN 25	Welding	Welding high stem	4.1 - 16
DN 250 - 500	PN 25	Welding	Welding high stem BROEN-Gear	4.1 - 18
DN 250 - 500	PN 25	Welding	Welding high stem flowoptimized	4.1 - 20
DN 250 - 500	PN 25	Welding	Welding high stem flowoptimized BROEN-Gear	4.1 - 22
DN 20 - 50	PN 40	Flange	Welding	4.1 - 24
DN 65 - 100	PN 25	Flange	Welding	4.1 - 26
DN 125 - 150	PN 25	Flange	Welding ISO-flange	4.1 - 28
DN 65 - 100	PN 16	Flange	Welding	4.1 - 30
DN 125 - 150	PN 16	Flange	Welding ISO-flange	4.1 - 32
DN 15 - 50	PN 40	Flange	Flange	4.1 - 34
DN 65 - 150	PN 25	Flange	Flange	4.1 - 36
DN 125 - 200	PN 25	Flange	Flange ISO-flange	4.1 - 38
DN 125 - 200	PN 25	Flange	Flange ISO-flange BROEN-Gear	4.1 - 40
DN 250 - 500	PN 25	Flange	Flange low stem	4.1 - 42
DN 250 - 500	PN 25	Flange	Flange low stem BROEN-Gear	4.1 - 44
DN 250 - 500	PN 25	Flange	Flange high stem	4.1 - 46
DN 250 - 500	PN 25	Flange	Flange high stem BROEN-Gear	4.1 - 48
DN 250 - 500	PN 25	Flange	Flange high stem flowoptimized	4.1 - 50
DN 250 - 500	PN 25	Flange	Flange high stem flowoptimized BROEN-Gear	4.1 - 52
DN 65 - 150	PN 16	Flange	Flange	4.1 - 54
DN 125 - 200	PN 16	Flange	Flange ISO-flange	4.1 - 56
DN 125 - 200	PN 16	Flange	Flange ISO-flange BROEN-Gear	4.1 - 58
DN 250 - 500	PN 16	Flange	Flange low stem	4.1 - 60
DN 250 - 500	PN 16	Flange	Flange low stem BROEN-Gear	4.1 - 62
DN 250 - 500	PN 16	Flange	Flange high stem	4.1 - 64
DN 250 - 500	PN 16	Flange	Flange high stem BROEN-Gear	4.1 - 66
DN 250 - 500	PN 16	Flange	Flange high stem flowoptimized	4.1 - 68
DN 250 - 500	PN 16	Flange	Flange high stem flowoptimized BROEN-Gear	4.1 - 70
DN 10 - 50		Accessories	T-handle	4.2 - 2
DN 10 - 200		Accessories	Handle	4.2 - 3
DN 10 - 100		Accessories	ISO-flange, mounting kit	4.2 - 4
DN 10 - 150		Accessories	Hexagon insertion key	4.2 - 5
DN 10 - 125		Accessories	Spindle extention for type 61-64 valves	4.2 - 6
DN 10 - 500		Accessories	BROEN BALLOMAX® Repair set	4.2 - 7
DN 100 - 500		Accessories	BROEN-Gear	4.2 - 8
DN 40 - 300		Accessories	BROEN-Gear with chain	4.2 - 9
DN 10 - 500		Additional	Pressure and temperature graph - PN 40/25/16	4.3 - 2
DN 10 - 500		Additional	Pressure drop graph	4.3 - 3
DN 10 - 50	PN 40	Additional	Operating torque	4.3 - 4
DN 65 - 500	PN 25	Additional	Operating torque	4.3 - 5
DN 15 - 50	PN 40	Additional	Connecting flange	4.3 - 6
DN 15 - 500	PN 25	Additional	Connecting flange	4.3 - 7
DN 15 - 500	PN 16	Additional	Connecting flange	4.3 - 8
DN 15 - 500	PN 10	Additional	Connecting flange	4.3 - 9
DN 65 - 500	PN 10	Additional	Valve actuator attachment	4.3 - 10

TRUNNION MOUNTED VALVES

BROEN BALLOMAX® - Trunnion mounted valves - Full bore

Section 5

DN 150 - 600	Welding	Welding - PN 40/25/16	5.1 - 2
DN 700 - 1000	Welding	Welding - PN 40/25/16	5.1 - 6
DN 150 - 600	PN 40 Flange	Flange	5.1 - 10
DN 700 - 1000	PN 40 Flange	Flange	5.1 - 14
DN 150 - 600	PN 25 Flange	Flange	5.1 - 18
DN 700 - 1000	PN 25 Flange	Flange	5.1 - 22
DN 150 - 600	PN 16 Flange	Flange	5.1 - 26
DN 700 - 1000	PN 16 Flange	Flange	5.1 - 30
DN 200 - 800	Accessories	BROEN-Gear	5.2 - 2
DN 150 - 1000	Additional	Pressure and temperature graph - PN 40/25/16	5.3 - 2
DN 150 - 1000	Additional	Pressure drop graph	5.3 - 3
DN 150 - 1000	Additional	Operating torque - PN 40/25/16	5.3 - 4

BROEN BALLOMAX® - Trunnion mounted valves - Reduced bore

Section 6

DN 200 - 700	Welding	Welding - PN 40/25/16	6.1 - 2
DN 800 - 1000	Welding	Welding - PN 40/25/16	6.1 - 6
DN 200 - 700	PN 40 Flange	Flange	6.1 - 10
DN 800 - 1000	PN 40 Flange	Flange	6.1 - 14
DN 200 - 700	PN 25 Flange	Flange	6.1 - 18
DN 800 - 1000	PN 25 Flange	Flange	6.1 - 22
DN 200 - 700	PN 16 Flange	Flange	6.1 - 26
DN 800 - 1000	PN 16 Flange	Flange	6.1 - 30
DN 250 - 800	Accessories	BROEN-Gear	6.2 - 2
DN 200 - 1000	Additional	Pressure and temperature graph - PN 40/25/16	6.3 - 2
DN 200 - 1000	Additional	Pressure drop graph	6.3 - 3
DN 200 - 1000	Additional	Operating torque - PN 40/25/16	6.3 - 4

FLEXIBLE MAIN STOP VALVES

BROEN BALLOMAX® - Flexible main stop valves

Section 7

DN 15 - 20	PN 25 Female	Female	7.1 - 2
DN 15 - 20	PN 25 Welding	Female	7.1 - 3
DN 15 - 20	PN 25 Welding	Welding	7.1 - 4
DN 20 - 25	PN 16 Female	Copper	7.1 - 5
DN 20 - 25	PN 25 Female	Female	7.1 - 6
DN 20 - 25	PN 25 Female	Female (for cabinet)	7.1 - 7
DN 20 - 25	PN 16 Female	Copper (for cabinet)	7.1 - 8
DN 15 - 32	Accessories	Bracket for extention	7.2 - 2
DN 15 - 20	Accessories	Insulation shells	7.2 - 3
DN 15 - 25	Accessories	T-handle	7.2 - 4
DN 15 - 20	Accessories	Lock fitting	7.2 - 5

HIGH TEMPERATURE VALVES

BROEN BALLOMAX® - High temperature valves

Section 8

DN 15 - 50	PN 40 Welding	Welding with locking plate	8.1 - 2
DN 10 - 50	PN 40 Female	Female	8.1 - 4
DN 10 - 50	PN 40 Female	Female ISO-flange	8.1 - 6
DN 10 - 50	PN 40 Welding	Welding ISO-flange	8.1 - 8
DN 65 - 200	PN 25 Welding	Welding	8.1 - 10
DN 65 - 200	PN 25 Welding	Welding ISO-flange	8.1 - 12
DN 125 - 200	PN 25 Welding	Welding ISO-flange BROEN-Gear	8.1 - 14

DN 15 - 50	PN 40	Flange	Flange	Flange	8.1 - 16	
DN 15 - 50	PN 40	Flange	Flange	ISO-flange	8.1 - 18	
DN 65 - 200	PN 25	Flange	Flange	Flange	8.1 - 20	
DN 65 - 200	PN 25	Flange	Flange	ISO-flange	8.1 - 22	
DN 125 - 200	PN 25	Flange	Flange	ISO-flange	BROEN-Gear	8.1 - 24
DN 65 - 200	PN 16	Flange	Flange	Flange	8.1 - 26	
DN 65 - 200	PN 16	Flange	Flange	ISO-flange	8.1 - 28	
DN 125 - 200	PN 25	Welding	Welding	ISO-flange	BROEN-Gear	8.1 - 30
DN 100 - 200		Accessories	BROEN-Gear		8.2 - 2	
DN 10 - 200		Additional	Pressure and temperature graph - PN 40/25/16		8.3 - 2	
DN 10 - 200		Additional	Pressure drop graph		8.3 - 3	
DN 10 - 50	PN 40	Additional	Operating torque		8.3 - 4	
DN 65 - 200	PN 25	Additional	Operating torque		8.3 - 5	
DN 15 - 50	PN 40	Additional	Connecting flange		8.3 - 6	
DN 15 - 200	PN 25	Additional	Connecting flange		8.3 - 7	
DN 65 - 200	PN 16	Additional	Connecting flange		8.3 - 8	
DN 65 - 200	PN 10	Additional	Valve actuator attachment		8.3 - 9	

MONOBLOCK AND SHORT VALVES

BROEN BALLOMAX® - Monoblock and short valves - Full bore					Section 9	
DN 15 - 32		Monoblock single - PN 40/25/16			9.1 - 2	
DN 15 - 32		Monoblock single - PN 40/25/16	ISO-flange		9.1 - 4	
DN 40 - 80	PN 16	Flange	Flange		9.1 - 6	
DN 40 - 80	PN 16	Flange	Flange		9.1 - 8	
DN 40 - 80	PN 16	Flange	Flange	ISO-flange	9.1 - 10	
DN 100 - 150	PN 16	Flange	Flange		9.1 - 12	
DN 100 - 150	PN 16	Flange	Flange		9.1 - 14	
DN 100 - 200	PN 16	Flange	Flange	ISO-flange	9.1 - 16	
DN 100 - 200	PN 16	Flange	Flange	ISO-flange	BROEN-Gear	9.1 - 18

BUTTERFLY VALVES

BROEN BALLOMAX® - Butterfly valves					Section 10
DN 80 - 450	PN 25	Welding	Welding	BROEN-Gear	10.1 - 2
DN 500 - 1000	PN 25	Welding	Welding	BROEN-Gear	10.1 - 4
DN 80 - 450	PN 25	Flange	Flange	BROEN-Gear	10.1 - 6
DN 500 - 1000	PN 25	Flange	Flange	BROEN-Gear	10.1 - 8
DN 80 - 450	PN 25	Wafer type		BROEN-Gear	10.1 - 10
DN 500 - 1000	PN 25	Wafer type		BROEN-Gear	10.1 - 12

HOT TAP VALVES

BROEN BALLOMAX® - Hot tapping tool					Section 11
DN 15 - 50 &					
DN 65-100	PN 25	Accessories	Hot tap tool - PN 25		11.1 - 2
BROEN BALLOMAX® - Hot tap valve - Full bore					Section 12
DN 15 - 100	PN 25	Welding	Welding		12.1 - 2
BROEN BALLOMAX® - Hot tap valve - Reduced bore					Section 13
DN 20 - 100	PN 25	Welding	Welding		13.1 - 2

BRANCHING VALVES

BROEN BALLOMAX® - Branching valves - Full bore **Section 14**

DN 15 - 50	PN 40	Welding	Welding	14.1 - 2
DN 65 - 100	PN 25	Welding	Welding	14.1 - 4
DN 125 - 150	PN 25	Welding	Welding	14.1 - 6

BROEN BALLOMAX® - Branching valves - Reduced bore **Section 15**

DN 20 - 100		Welding	Welding - PN 40/25	15.1 - 2
DN 40 - 100		Welding	Welding with sleeve in ball - PN 40/25	15.1 - 4
DN 125 - 200	PN 25	Welding	Welding	15.1 - 6

TWIN VALVES - EN 488

BROEN BALLOMAX® - Twin valve, Pre-insulated - Reduced bore **Section 16**

DN 25 - 200	PN 25	Welding	Welding	class 3	with alarm outlet	16.1 - 2
DN 25 - 200	PN 25	Welding	Welding	class 2	with alarm outlet	16.1 - 4
DN 25 - 200	PN 25	Welding	Welding	class 3	without alarm outlet	16.1 - 6
DN 25 - 200	PN 25	Welding	Welding	class 2	without alarm outlet	16.1 - 8
		Accessories	Universal allen key			16.2 - 2
DN 150 - 200		Accessories	BROEN-Gear, Mobile actuator			16.2 - 3
DN 25 - 200		Accessories	BROEN BALLOMAX® Repair set			16.2 - 4

ADDITIONAL

BROEN BALLOMAX® - General terms of sales and delivery **Section 17**

General terms of sales and delivery	17.1 - 2
-------------------------------------	-------	----------

BROEN BALLOMAX® - References and case stories **Section 18**

Sustainable and energy efficient solution in small Danish municipality	18.1 - 2
Climate-friendly power station in Elsinore	18.1 - 6
Green energy solutions to district heating constructions	18.1 - 9

